

Fig. 1a




Fig. 1b




Fig. 1c




Fig. 1d




Fig. 1e




Fig. 1f




Fig. 1g




Fig. 1h




Fig. 1i




Fig. 1j




Fig. 1k




Fig. 1L

BEST AVAILABLE COPY




Fig. 2a




Fig. 2b




Fig. 2c




Fig 2d




Fig. 2e




Fig. 2f
BEST AVAILABLE COPY




Fig. 2g




Fig. 2h




Fig. 2i




Fig. 3a




Fig. 3b




Fig. 3c

BEST AVAILABLE COPY




Fig. 3d




Fig. 3e




Fig. 3f




Fig. 3g




Fig. 3h




Fig. 3i




Fig. 4a.




Fig. 4b




Fig. 5a






Fig. 5b



A

Fig. 6a




B

Fig. 6b



C

Fig. 6c



D

Fig. 6d

BEST AVAILABLE COPY




Fig. 7a




Fig. 7b



Fig. 7c




Fig. 7d



Fig. 7e



Fig. 7f

BEST AVAILABLE COPY




Figure 8




Figure 9

BEST AVAILABLE COPY




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14

ThioS stained plaques sorted by size

dextran S
hi MW




Figure 15




Figure 16




Figure 17